edit nelson master a4

EDIT:
NEW FILE:
INPUT:
→ MY MOTHER IS IN GERMANY ®
MY FATHER IS IN RUSSIA ®
WILL THEY EVER MEET ®

®

EDIT:





top
bottom
down
up
print 3
next 10
locate/1000/
change/MAD/MAID/
delete 6 and 1
tabset

file nelson now
alter
input
insert

GREENIE SCOPE. 3 Type sizes on Computer?



INTERNAC.

EDIT COMMAND SECECT

DISPLAY OF LINKS

Long form.



BASIC SYSTEM (Xanadu .3)

1. User declares files
2. (User edits files off-line)
3. User declares coupling structures & individual links
   A. Point multicouplers as general case
   (B. String multicouplers?)
4. User declares formats, (names them?), declares column width [Datapoint], boxes [on greenie], ~~C~~ declares files available to each format.
5. User can call files, in parallel.
   Links displayed as lines [Greenie], as adjacent trees [Datapoint]



Case 1: Dependent top lines only (expand/optn)
Case 2: Dependent entries whole

6. On-line editing, with saves
7. Backtrack with multicouple to present

CREATE ONE LINK



Utterly bold display of two linked stars

CREATE FILE



System asks name.
(NONE option)

Options at start:
INSERT / INPUT
COPY } FROM OTHER FILE { LINKING / NOT LINKING
TRANSFER
~~COPY LINK~~
COPY LINK-SET

COPY/TRANSFER FROM OTHER FILES { LINKING / NOT



COPY LINK-SET [ALREADY BETWEEN 2 FILES A & B; A EXTEND NOW FROM A TO C.]
EMPT FILE
FULL FILE WITH LINKS ALREADY { A file may have more than one link-set [multicouplor].



INDEP

FILE 1

DEPT

FILE 2

COMMANDS

DECLARE INDEP
DECLARE DEPT
CREATE LINK STRING



INDEP FILE 1

DISPLAY LINK SET STRINGS

DEPT FILE 1





DISPLAY LINK SET



COMPRESSED



COMMAND SELECT



COMMAND AREA

("Point" with cursor, hit some Activate button)



EDIT COMMANDS

Cursor moves to line of desired command, punch 'Go'

Then cursor jumps ~~to~~ some case into the text

LINK OPERATIONS

SELECT 2 FILES [& THEIR ~~LINK~~ LINKS IF ANY]

MAKE A ~~LINK~~
DESTROY } A LINK
CHANGE

TWO BASIC TYPES LINKS:

[Should we make these distinctions?]





CASES 1 Strings in correspondence.
Discrete Hypertext Jump.

(My mother loves apples, AND MY FATHER DOES TOO, — MY SISTER AND MY BROTHER HATES APPLES, AND MY FATHER,)

DISPLAY APPROACHES

INDEP DEP

STOP AT END OF LINKED STRING?
OR GO ON INDEFINITELY?
OR SHOW END OF LINKED STRING & GO ON?


In the beginning God created heave and earth.
Heave and earth.
Heave and earth.
I
Once upon a time there were three bears. A mother bear, a father bear...
II
Once upon a time there were three bears. A mother bear,...
...three bears.


Delfts
BAD
3 Infotons (redwood)
1 Atlantic
Delfspoint
Greenies (one of these)
tektronix
ARDS
Computek


Delfspoint (3300 band) (text only)
tektronix, ARDS or Computek

1. MULTICOUPLER
FIRST & FOREMOST

2. (HISTORICAL FILES ARE A
SPECIAL CASE OF A
MULTICOUPLED FILES.)



DATAPOINT SCOPE

Up to 3?? files in parallel

1 file

2 files



3

Control area (bottom or top?)





★SELECTION OF FILES FROM OVERALL COMPLEX
(Comparable to file-ball idea)

Formatted file

Move in file



'Spread'

Change independent file

Compress independent

Interstate

Books interchange

Define type file format

Formatting, Asset-Segmentation

Complex

EDIT COMMANDS



ON THE DATAPOINT: When we enter edit mode, move lines apart (prob. top half of displayed text).

~~DATAPOINT~~

~~edit mode → MOVE LINES APART~~

~~GREENIE~~

Insert (1 param. + text)



Remove



Substitute

(2 params + text)

Copy ~~Substitute~~

(3 params)



Move

(3 params)



TRAVEL COMMANDS ON DATAPOINT

↕ forward & back. 1 line: GIVEN (button)
Several lines: DON'T KNOW
How about: +45, -10?
↕45, ↕10
RETURN button
(store pushdown list of all non-trivial travel actions, so back.)

top & bottom commands
↑. or similar ↓.
↑! ↓!

DEPENDENCY COMMANDS (file names must be changed)



Call files (Independent or dependent)
Change dependency status
Compress Dependent File

{Secondary dependencies?}



Secondary dependencies:
show only links which go from
~~index to DEP/1 etc~~
FILE1 to FILE2 ANY FILE3